

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2389	"358".clas. and image\$1 near2 compression\$1	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/13 15:34
S2	0	"392".clas. and image\$1 near2 compression\$1	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/13 15:31
S3	5171	"382".clas. and image\$1 near2 compression\$1	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/13 15:31
S4	75	"358".clas. and image\$1 near2 compression\$1 and ((mask valid) near2 bit)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/13 15:34
S5	150	"382".clas. and image\$1 near2 compression\$1 and ((mask valid) near2 bit)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 16:34
S6	5	"382".clas. and image\$1 near2 compression\$1 and ((mask with valid) with bit)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/13 15:45
S7	7	("4194221" "5469161" "5542031" "5544290" "5638498" "6188333" "6192155").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:40
S8	39	("4194221" "5469161" "5542031" "5544290" "5638498" "6188333" "6192155") and tile\$1	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:41
S9	18	("4194221" "5469161" "5542031" "5544290" "5638498" "6188333" "6192155") and tile\$1 and (mask same valid)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/19 10:36
S10	8	358/426.01-426.16	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:45
S11	47	358/426.16	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:45
S12	1945	358/426	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:45

S13	0	358/426.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:45
S14	0	358/426.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:45
S15	1945	358/426	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:46
S16	75	358/426.01	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:45
S17	92	358/426.02	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:45
S18	23	358/426.03	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:45
S19	69	358/426.04	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:45
S20	36	358/426.05	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:45
S21	33	358/426.06	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:45
S22	27	358/426.07	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:45
S23	9	358/426.08	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:45
S24	19	358/426.09	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:45

S25	0	358/426.10	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:46
S26	26	358/426.11	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:46
S27	-56	358/426.12	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:46
S28	76	358/426.13	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:46
S29	62	358/426.14	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:46
S30	11	358/426.15	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:46
S32	115	358/426 and tile\$1	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:46
S33	30	358/426 and tile\$1 and (mask same valid)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:49
S34	5013	382/232	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:50
S35	20	382/232 and tile\$1 and (mask same valid)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 15:37
S36	11	configurable near2 postscript near2 interpreter	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:58
S37	644	CPSI	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:58

S38	0	CPSI/impv	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:58
S39	35	CPSI and mask	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 10:58
S40	4	CPSI and (mask same valid)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 11:54
S41	786	mask with valid with (value\$1 bit\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 11:55
S42	143	mask with valid with (value\$1 bit\$1) and compression	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 11:55
S43	21	mask with valid with (value\$1 bit\$1) and compression and tile\$1	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 11:55
S44	36	mask with valid with (value\$1 bit\$1) and tile\$1	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 11:56
S45	25	mask with valid with (value\$1 bit\$1) and tile\$1 and compress\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/14 11:56
S46	47	358/426.16	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/19 10:18
S47	1778126	efficient presentation of images	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/19 10:36
S48	0	"efficient presentation of images"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/19 10:36
S49	6	"382".clas. and image\$1 near2 compression\$1 and (((mask valid) near2 bit) same tile\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/19 10:37

S50	66	"382".clas. and image\$1 near2 compression\$1 and (((mask valid) near2 bit) same (block\$1 microclock\$1 macroblock\$1 tile\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/19 11:03
S51	2	"382".clas. and image\$1 near2 compression\$1 and (((mask with valid) with (bit\$1 value\$1)) same (block\$1 microclock\$1 macroblock\$1 tile\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/19 11:00
S52	2	"382".clas. and compression\$1 and (((mask with valid) with (bit\$1 value\$1)) same (block\$1 microclock\$1 macroblock\$1 tile\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/19 11:00
S53	82	"382".clas. and compression\$1 and (((mask valid) near2 bit) same (block\$1 microclock\$1 macroblock\$1 tile\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/19 11:03
S54	164	"382".clas. and compression\$1 and (((mask valid) near2 (bit\$1 value)) same (block\$1 microclock\$1 macroblock\$1 tile\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/19 11:04
S55	35	382/166 and (((mask valid) near2 (bit\$1 value)) same (block\$1 microclock\$1 macroblock\$1 tile\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/19 11:37
S56	19	382/166.ccls. and (((mask valid) near2 (bit\$1 value)) same (block\$1 microclock\$1 macroblock\$1 tile\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/19 11:04
S57	13	382/166 and (((valid) near2 (bit\$1 value)) same (block\$1 microclock\$1 macroblock\$1 tile\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/19 11:52
S58	53	382/232 and (((valid) near2 (bit\$1 value)) same (block\$1 microclock\$1 macroblock\$1 tile\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/19 11:54
S59	0	382/232 and (((valid) near2 (bit\$1 value)) same (block\$1 microclock\$1 macroblock\$1 tile\$1)) same (linework continuous)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/19 11:54
S60	36	382/232 and (((valid) near2 (bit\$1 value)) same (block\$1 microclock\$1 macroblock\$1 tile\$1)) and (linework continuous)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/19 11:54

S61	0	(block\$1 tile\$1 microblock\$1 macroblock\$1 region\$1) with ("not" and "cod\$3")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 15:37
S62	2	(block\$1 tile\$1 microblock\$1 macroblock\$1 region\$1) with ("cod\$3")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 15:38
S63	0	(block\$1 tile\$1 microblock\$1 macroblock\$1 region\$1) with ("not" and (encod\$3 compress\$3 process\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 15:38
S64	0	(block\$1 tile\$1 microblock\$1 macroblock\$1 region\$1) with ("not" near3 (encod\$3 compress\$3 process\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 15:38
S65	626004	(block\$1 tile\$1 microblock\$1 macroblock\$1 region\$1) with ((encod\$3 compress\$3 process\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 15:39
S66	4787	(block\$1 tile\$1 microblock\$1 macroblock\$1 region\$1) and 382/232	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 15:40
S67	74	S66 and ROI	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 15:39
S68	129	(block\$1 tile\$1 microblock\$1 macroblock\$1 region\$1) with empty and 382/232	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 15:41
S69	452	(block\$1 tile\$1 microblock\$1 macroblock\$1 region\$1) with (empty blank white) and 382/232	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 15:41
S70	289	(block\$1 tile\$1 microblock\$1 macroblock\$1 region\$1) near3 (empty blank white) and 382/232	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 15:47
S71	190	(block\$1 tile\$1 microblock\$1 macroblock\$1) near3 (empty blank white) and 382/232	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 15:51
S72	158	(block\$1 tile\$1 microblock\$1 macroblock\$1) near3 (empty blank invalid valid) and 382/232	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 16:10

S73	7	(block\$1 tile\$1 microblock\$1 macroblock\$1) near3 (empty blank invalid valid) and (continuous and linework)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 15:56
S74	5	(block\$1 tile\$1 microblock\$1 macroblock\$1) near3 (empty blank invalid valid) and (continuous with linework)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 15:56
S75	7	("4194221"   "5469161"   "5542031"   "5544290"   "5638498"   "6188333"   "6192155").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/22 15:57
S76	0	(block\$1 tile\$1 microblock\$1 macroblock\$1) with (continous with linework)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 16:10
S77	0	(block\$1 tile\$1 microblock\$1 macroblock\$1) same (continous with linework)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 16:10
S78	0	(block\$1 tile\$1 microblock\$1 macroblock\$1) and (continous with linework)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 16:11
S79	158	(block\$1 tile\$1 microblock\$1 macroblock\$1) near3 (empty blank invalid valid) and 382/232	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 16:10
S80	1	(block\$1 tile\$1 microblock\$1 macroblock\$1) and (continous and linework)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 16:11
S81	0	(continous with linework)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 16:11
S82	4	(block\$1 tile\$1 microblock\$1 macroblock\$1) with (continuous with linework)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 16:16
S83	7	("4194221"   "5469161"   "5542031"   "5544290"   "5638498"   "6188333"   "6192155").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/22 16:12
S84	5	("4194221"   "5469161"   "5542031"   "5544290"   "5638498"   "6188333"   "6192155").PN. and (continuous)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/22 16:12

S85	0	("4194221"   "5469161"   "5542031"   "5544290"   "5638498"   "6188333"   "6192155").PN. and (continuous and linework)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/22 16:12
S86	0	("4194221"   "5469161"   "5542031"   "5544290"   "5638498"   "6188333"   "6192155").PN. and (linework)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/22 16:12
S87	7	(block\$1 tile\$1 microblock\$1 macroblock\$1) same (continuous with linework)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 16:15
S88	7	(if whether) with (continuous with linework)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 16:16
S89	54	(continuous contone) with linework	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 17:31
S90	1627	358/462	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 17:31
S91	1	358/462 and continous and linework	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 17:31
S92	4813	(whether if) with (linework text character\$1) with (image continous, picture)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 17:32
S93	5039	(whether if) with (linework text character\$1) with (image continuous picture)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/22 17:32
S94	343	(whether if) with (linework text character\$1) with (continuous)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/23 10:39
S95	73	(whether if) with (linework text character\$1) with (continuous) same (block\$1 tile\$1 microblock\$1 macroblock\$1 region\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/23 10:47
S96	1	"6304606"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/23 10:48